

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau




32

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁵ : A61K 7/48</p>	<p>A1</p>	<p>(11) International Publication Number: WO 93/25186 (43) International Publication Date: 23 December 1993 (23.12.93)</p>
<p>(21) International Application Number: PCT/US93/05739 (22) International Filing Date: 15 June 1993 (15.06.93) (30) Priority data: 07/899,418 16 June 1992 (16.06.92) US 08/064,915 24 May 1993 (24.05.93) US Not furnished 14 June 1993 (14.06.93) US (71)(72) Applicant and Inventor: KLEIN, Marvin, E. [US/US]; 27629 Chatsworth, Farmington Hills, MI 48334 (US). (74) Agents: CITKOWSKI, Ronald, W. et al.; 3001 W. Big Beaver, Suite 624, Troy, MI 48084 (US).</p>		<p>(81) Designated States: AU, BR, CA, JP, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>

(54) Title: COMPOSITION FOR THE TREATMENT OF SKIN



(57) Abstract

A skin treatment composition comprises an organic acid such as an alphahydroxy acid, a halo-carboxylic acid or a dicarboxylic acid together with 0.1-10 % of a limonene based oil in an inert carrier. Also disclosed is a delivery system for acidic skin treatments, comprising a body of bibulous material (12) having the composition absorbed thereupon, and a moisture proof package (14) which retains the body of bibulous material (12).

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	FR	France	MR	Mauritania
AU	Australia	GA	Gabon	MW	Malawi
BB	Barbados	GB	United Kingdom	NL	Netherlands
BE	Belgium	GN	Guinea	NO	Norway
BF	Burkina Faso	GR	Greece	NZ	New Zealand
BG	Bulgaria	HU	Hungary	PL	Poland
BJ	Benin	IE	Ireland	PT	Portugal
BR	Brazil	IT	Italy	RO	Romania
CA	Canada	JP	Japan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SK	Slovak Republic
CI	Côte d'Ivoire	LI	Liechtenstein	SN	Senegal
CM	Cameroon	LK	Sri Lanka	SU	Soviet Union
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	MC	Monaco	TC	Togo
DE	Germany	MG	Madagascar	UA	Ukraine
DK	Denmark	ML	Mali	US	United States of America
ES	Spain	MN	Mongolia	VN	Viet Nam
FI	Finland				

- 1 -

COMPOSITION FOR THE TREATMENT OF SKINField of the Invention

This invention relates to dermatologic compositions in general. Specifically, the invention relates to dermatologic compositions which include an acidic material and a limonene based oil. The invention also relates to a packaged delivery system for acidic dermatologic compositions.

Background of the Invention

Certain organic acids have an extensive history of use in connection with the treatment of skin conditions. Sour milk contains lactic acid and a variety of fruit juices contain glycolic acid. Both of these acids are alphahydroxy carboxylic acids and a variety of compositions based upon fruit juice or soured milk have long been documented as being beneficial for the skin. Similarly, polycarboxylic acids such as citric acid, which is present in many fruits and tartaric acid, which is present in wine residues, have also long been used as skin treatments. More recently, halo-carboxylic acids, primarily trichloroacetic acid, have been found to be beneficial as skin treatment agents. These acidic materials, when properly applied, have been found to soften, moisturize and tone the skin, bleach unwanted pigmentation, reduce wrinkles and ameliorate conditions such as pseudofolliculitis barbae, keratoses and the like.

- 2 -

A variety of compositions incorporating the
aforementioned acidic materials have been known for some
time in the prior art, and U.S. Patent Nos. 3,897,537;
3,984,566; 3,988,470 are representative of compositions
5 including such acidic materials. However, it has come to
be found that use of the free acids can actually irritate
the skin, producing an uncomfortable burning sensation, red
spots, and temporary hyperpigmentation. Furthermore, the
free acids tend to crystallize out of various preparations
10 thereby limiting their shelf life and further exacerbating
the problem of irritation.

In response to problems associated with the use
of free acids, the prior art turned to compositions
including neutralized acids therein. The neutralization is
15 typically accomplished by the use of inorganic bases such
as sodium hydroxide, potassium hydroxide or ammonium
hydroxide, which react with the acids to form salts. U.S.
Patent Nos. 4,021,572; 4,105,783; and 4,234,599 are
representative of the prior art relating to neutralized
20 compositions. In general, it has been found that
neutralization does prevent the irritating effects
encountered in the use of acid containing preparations;
however, it has also been found that the neutralized
products are ineffective insofar as they do not rejuvenate,
25 tone or bleach the skin. U.S. Patent No. 5,091,171
contains a discussion of the prior art compositions and
acknowledges the inactivity of the salts resultant from the
neutralization of the acids. The '171 patent proposes a
skin treating composition comprising acids in conjunction

- 3 -

with amphoteric materials such as amino acids, peptides or the like. It has been found that all of the prior art approaches have been unsuccessful in providing an acid-based skin treatment composition which is both non-irritating and effective.

In accord with one aspect of the present invention, it has been found that the addition of even relatively small amounts of a particular group of oils, referred to as limonene oils eliminates problems heretofore encountered in the use of acidic skin treatment compositions. As will be described in greater detail hereinbelow, the oil moderates the undesirable effects of the acid, while preserving its beneficial effect. In many instances, delivery of the treatment composition may be a problem, particularly when the composition is formulated to include a relatively low viscosity carrier such as water. The use of cotton swabs, cotton wool and similar materials can result in either the over-application, under-application or uneven application of the treatment materials; and consequently, can either compromise the efficacy of the treatment program or result in waste and excess cost. Furthermore, open containers of the treatment composition are prone to spillage and contamination.

It would be desirable to have the skin treatment composition of the present invention disposed in a delivery system which provides for the simple and rapid dispensing of premeasured portions of the composition in a form which may be readily applied to the skin. The present invention provides an acidic based skin treatment composition which

- 4 -

is non-irritating, non-allergenic, non-comedogenic and highly effective. The composition is packaged in premeasured portions which may be readily applied in a therapeutic setting. These and other advantages of the present invention will be readily apparent from the drawings, discussion and description which follow.

Brief Description of the Invention

There is disclosed herein a composition for the treatment of skin which comprises, by volume, up to 70% of an acidic material selected from the group consisting of: alphahydroxy carboxylic acids, halo-carboxylic acids, dicarboxylic acids, and combinations thereof, together with 0.1-10% of a limonene based oil, and the remainder an inert carrier. The limonene based oil may, in some embodiments, be selected from the group consisting of lemon oil, orange oil, grapefruit oil, lime oil, bergamot oil, caraway oil, dill oil and combinations thereof. In particular embodiments, the acidic materials may comprise glycolic acid, trichloroacetic acid and combinations thereof. In one preferred group of compositions, the acidic material comprises 3-70% by weight of the composition. The inert carrier may comprise water, or it may be a cosmetic lotion or cream based carrier.

There is also disclosed herein a packaged composition for the treatment of skin, which comprises a body of bibulous material having absorbed thereupon an acidic skin treating composition. The body of bibulous material is preferably sealed in a moisture-proof package.

- 5 -

Brief Description of the Figure

FIGURE 1 is a cross-sectional view of a package of skin treatment composition, structured in accord with the present invention.

5 Detailed Description of the Invention

The invention is directed to a topical composition for treating a variety of skin conditions, including dry skin, dermatoses, acne, keratoses, photo-aging, melasma, itching, inflammation, pseudofolliculitis
10 barbae (razor bumps) and the like. The composition includes an acidic component together with a limonene based oil and further includes a cosmetically acceptable carrier which may comprise water, a gel, a lotion or an ointment.

The Acid

15 There are a variety of acidic materials which may be utilized to fabricate the compositions of the present invention. One group of acids is the alphahydroxy carboxylic acids. These materials comprise organic acids having a hydroxyl group on the carbon atom which is
20 adjacent the carboxylic acid moiety. There are a number of alphahydroxy acids which have been utilized as skin treatment agents. As noted above, glycolic acid, lactic acid, tartaric acid and citric acid have enjoyed a long history of use. A number of other acids including malic
25 acid, alphahydroxy butyric acid, glyceric acid and mandelic acid may also be employed in the practice of the present invention.

- 6 -

Halogenated carboxylic acids may also be used in the practice of the present invention. Trichloroacetic acid is a halogenated carboxylic acid has an acid strength somewhat stronger than that of acetic acid or glycolic acid. Dichloroacetic acid is a somewhat milder material and monochloroacetic acid is milder yet. All of the these materials have utility in the practice of the present invention. A number of other halogenated derivatives of organic acids are readily available and such materials also have utility in the practice of the present invention.

A number of polycarboxylic acids such as oxalic, malonic, succinic, glutaric, and adipic acids have particular utility in the practice of the present invention. The use of citric, tartaric, malic, and glyceric acids have been discussed above, since these materials are alphahydroxy acids as well as polycarboxylic acids.

Among some of the most preferred acid materials are glycolic acid, lactic acid, citric acid and trichloroacetic acid. In general, the acid component comprises up to 70% of the compositions of the present invention. The precise amount of acid employed will depend upon the strength of the acid as well as the manner in which the composition is employed. Relatively strong acids such as trichloroacetic acid will be used at lower concentrations as compared to milder acids such as lactic acid. Acid concentration will also depend upon the manner in which the composition is used. Compositions which are intended to be dispensed by physicians or other trained

- 7 -

professionals generally include relatively high acid concentrations since these materials will be applied therapeutically, in a controlled setting, and for restricted periods of time. Compositions for home use are
5 generally of lower acid concentration. The acid component of the compositions of the present invention will typically constitute, by weight, approximately 3-70% of the composition.

The Oil

10 In accord with the present invention it has been unexpectedly found that the inclusion of even relatively small amounts of a limonene based oil in an acidic skin treatment composition greatly improves the performance of the composition. The oil prevents stinging and burning
15 associated with heretofore employed acidic compositions, while preserving the beneficial effects of the acid. It has also been found that the oil provides for the manufacture of a stable product having a smooth and uniform consistency, particularly when the compositions is disposed
20 in an ointment or lotion based carrier.

The oil comprises a limonene based oil. Within the context of the present disclosure, limonene based oils are defined to include those oils which contain the terpene limonene; by way of illustration, and not limitation, such
25 oils include lemon oil, orange oil, grapefruit oil, lime oil, bergamot oil, caraway oil and dill oil. The precise mode in which the oil functions is not fully understood at this time; however, all of these oils are complex natural

- 8 -

products which include limonene as well as a variety of other terpenes and other unsaturated molecules, together with various acids, alcohols, esters and ketones. A number of these materials are capable of reacting with various portions of the acid molecules to form new molecular structures. It is also possible that the oil may form a metastable complex with the acid. Alternatively, the oil may interact with the acid in a physical (i.e., non-chemical) manner as, for example, by solvating, emulsifying or sequestering the acid to limit its ionization, control, its solubility or otherwise moderate its effects. In general, it has been found that approximately 0.1-10% of the oil, by volume, is sufficient to obtain the beneficial effects of the present invention. In one group of compositions of the present invention, the oil is present at a volume concentration of approximately 2-10%.

The beneficial effects obtained by the inclusion of the limonene based oil into the acid-containing skin treatment compositions are quite surprising in view of the fact that prior art compositions often included carriers such as creams or lotions formulated from mineral oil, lanolin or other non-limonene oils. Therefore, the prior art would suggest that no additional benefit is to be obtained by inclusion of an oily material in acid based skin treatments.

The Carrier

The composition of the present invention is compatible with any one of a number of generally employed

- 9 -

and cosmetically acceptable carriers. The carrier material is inert in the sense that it does not interact with the active components of the composition. The carrier merely constitutes a vehicle for the delivery of the composition, although it is to be understood that the carrier itself may provide for some humidification or lubrication of the skin since it will typically include water, oil, glycerin and similar agents. The simplest carrier will merely comprise water and may further include coloring agents, scents and the like. Aqueous carriers are generally favored for high concentration, therapeutic formulations which are typically applied in a professional setting for relatively short periods of time. Lower dosage compositions which are left on the skin for longer periods of time will typically include materials such as glycerin or gelling agents to retard evaporation. As is well known in the art, lotion and ointment based carriers typically comprise emulsions of oil and water stabilized with emulsifying agents and may further include thickeners, color and scent.

There are a large number of skin creams and lotions which are commercially available, and the composition of the present invention may incorporate such materials as the inert carrier. A typical commercially available skin cream comprises by weight approximately: 50% water, 10% mineral oil, 10% petrolatum, 10% of a fatty alcohol such as cetyl alcohol or stearyl alcohol, 5% propylene glycol, 5% isopropyl palmitate, 5% sodium lauryl sulfate together with preservatives, colorants and scents.

- 10 -

The foregoing cream formulation may be mixed with water at a ratio of three parts water to one part cream to make a lotion. Many variations of this general formula are known and available in the art and may be employed in the practice of the present invention.

The Package

As noted above, application of the composition can, in some instances, be a problem, particularly if the composition is of fairly low viscosity. It is generally desirable to apply the composition in a uniform layer and to minimize spilling or other wastage. In accord with the present invention, it has been found desirable to dispose acid based dermatologic compositions in a single use package. The package comprises a moisture-proof envelope, enclosing and retaining a body of bibulous material having the composition absorbed thereupon. The bibulous material typically comprises a woven or non-woven fabric, an absorbent cotton pad, a paper towel or the like. The package seals and protects the composition until it is ready for use.

Referring now to Figure 1, there is shown a cross-sectional view of one particular embodiment of a packaged dermatologic composition 10 structured in accord with the principles of the present invention. The package 10 includes an absorbent member 12, which in this instance is a piece of absorbent cotton and rayon fabric, disposed within a water-proof package 14. The illustrated package 14 is comprised of an outer layer of paper 16 having a

- 11 -

layer of aluminum foil 18 bonded thereto. The innermost layer is comprised of a layer of medium density polyethylene 20 and it will be noted that the package 10 is sealed along the edges by thermally bonding the polyethylene layers 20 so as to define an enclosed interior volume 22.

The Figure 1 package is representative of a variety of packages which may be employed in the present invention. It is to be understood that the package may, in some instances, be entirely made from a polymeric material or from a metal foil, or it may comprise paper impregnated with a polymer. The prime criterion is that the package be capable of retaining a pad saturated with the skin treatment composition, without leaking or reacting with the acidic material. While in the illustrated embodiment, the pad 12 is described as being a cotton and rayon fabric, other materials of a bibulous nature such as paper toweling, non-woven fabrics, gauze pads and the like may be similarly employed. Also, the package of the present invention may be employed with non-limonene oil containing compositions of the type well-known in the art.

Examples

A number of packaged formulations were prepared in accord with the present invention as follows:

1. A water based solution comprising 60% of glycolic acid was prepared as follows: 86 grams of glycolic acid (70% aqueous solution) were stirred together with 4 grams of lemon oil (food grade Durkee Co.) and 10 ml

- 12 -

distilled water at room temperature. This provided a homogeneous mixture which was stable upon standing. The mixture comprised 60% glycolic acid, 4% lemon oil and 36% water. The foregoing composition was used to wet a number of pads made of a cotton-rayon fabric; each pad was two inches long by three inches wide and contained approximately 1.5cc of the composition. The pads were each sealed in a polyethylene envelope which was enclosed in a labelled paper envelope.

2. A similar composition was prepared from 57 grams of the aforementioned glycolic acid solution, 4 grams of lemon oil and 39 ml of water. This mixture was also stable on standing and comprised 40% glycolic acid, 4% lemon oil and 56% water. The composition was applied to absorbent paper toweling pads approximately two inches long by three inches wide. The pads were each wetted with 1.5cc of the composition and disposed in a package generally similar to that of Figure 1.

3. A third composition was prepared from 29 grams of the glycolic acid solution, 4 grams of lemon oil and 67 ml of water. This composition comprised 20% glycolic acid, 4% lemon oil and 76% water. This composition was applied to pads of cotton fabric approximately three inches square at a loading of 3cc each. The pads were sealed in polyethylene bags.

4. A lotion based composition was prepared from the following components:

isopropyl alcohol USP 7680 cc
propylene glycol 2258 cc
glycerin 338.8 cc

- 13 -

laureth 4 (sodium laurel ethyl sulfate
surfactant) 67.8cc
distilled water 26.5 cc
glycolic acid, 70% aqueous solution 875 cc
oil of lemon 750cc

5

The lotion was prepared by stirring together the ingredients, in the order listed, at room temperature for approximately 1/2 hour until a homogeneous mixture was obtained. The composition was packaged in accord with Example 1 and was found to be particularly useful in the treatment of pseudofolliculitis barbae.

10

5. Another composition was prepared and packaged as per the preceding example except that the glycolic acid was replaced by a 70% aqueous solution of lactic acid, and oil of orange (food grade, Durkee Company) was substituted for the oil of lemon. This mixture was also found advantageous in the treatment of psuedofolliculitis barbae.

15

It is to be understood that the foregoing examples are merely illustrative of particular embodiments of the present invention and are not limitations upon the practice thereof. It is the following claims, including all equivalents, which define the scope of the invention.

20

- 14 -

Claims

1. A composition for the treatment of skin, comprising by volume:

5 up to 70% of an acidic material selected from the group consisting of: alphahydroxy carboxylic acids, halo-carboxylic acids, dicarboxylic acids, and combinations thereof;

0.1-10% of a limonene based oil; and
the remainder, an inert carrier.

10 2. A composition as in claim 1, wherein said limonene based oil is selected from the group consisting of:

15 lemon oil, orange oil, grapefruit oil, lime oil, bergamot oil, caraway oil, dill oil and combinations thereof.

3. A composition as in claim 1, wherein said acidic material is selected from the group consisting of: glycolic acid, trichloroacetic acid, and combinations thereof.

20 4. A composition as in claim 1, wherein said acidic material comprises 3-70% by volume of said composition.

5. A composition as in claim 1, wherein said inert carrier comprises water.

- 15 -

6. A composition as in claim 1, wherein said inert carrier comprises an emulsion of oil and water.

7. A composition for the treatment of skin comprising by volume:

5 3-70% of glycolic acid;
 0.1-10% of lemon oil; and
 the remainder an inert carrier.

8. A packaged composition for the treatment of skin comprising:

10 I. a body of bibulous material;
 II. a liquid composition absorbed into said
body of bibulous material, said composition including:
 an acidic material selected from the group
 consisting of: alphahydroxy carboxylic acids,
15 halo-carboxylic acids, dicarboxylic acids, and
 combinations thereof; and
 III. a moisture-proof package configured to
enclose and retain said body of bibulous material.

9. A packaged composition as in claim 8, wherein
20 said composition comprises, by volume; up to 70% of said
acidic material; 0.1-10% of a limonene based oil; and, the
remainder, an inert carrier.

10. A packaged composition as in claim 9,
wherein said limonene based oil is selected from the group
25 consisting of:

- 16 -

lemon oil, orange oil, grapefruit oil, lime oil, bergamot oil, caraway oil, dill oil and combinations thereof.

5 11. A packaged composition as in claim 8, wherein said acidic material is selected from the group consisting of: glycolic acid, trichloroacetic acid, and combinations thereof.

10 12. A packaged composition as in claim 8, wherein said bibulous member is selected from the group consisting of: woven textiles, non-woven textiles, paper and combinations thereof.

 13. A packaged composition as in claim 8, wherein said bibulous member is sealed in said moisture-proof package.

1/1




FIG - 1

SUBSTITUTE SHEET

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US93/05739

A. CLASSIFICATION OF SUBJECT MATTER

IPC(5) :A61K 7/48

US CL :424/401

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 424/401; 206/361

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US, A, 4,234,599 (VAN SCOTT) 18 NOVEMBER 1980, Abstract, claim 1, column 3, lines 60-68.	1-13
Y	US, A, 3,057,467 (WILLIAMS) 09 OCTOBER 1962, Claim 1, column 5, lines 13-20.	8-13

☐ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	*T	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be part of particular relevance	*X*	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
E earlier document published on or after the international filing date	*Y*	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A*	document member of the same patent family
O document referring to an oral disclosure, use, exhibition or other means		
P document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search

23 AUGUST 1993

Date of mailing of the international search report

05 NOV 1993

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. NOT APPLICABLE

Authorized officer

EDWARD J. WEBMAN

Telephone No. (703) 308-2351

Form PCT/ISA/210 (second sheet)(July 1992)*